Safety Data Sheet Sidewinder

SECTION I - IDENTIFICATION

PRODUCT IDENTIFIER: Sidewinder **PRODUCT CODE: 5390 RECOMMENDED USE:** Coil Cleaner **RESTRICTIONS ON USE:** None Known **COMPANY NAME:** OuestSpecialty Corporation COMPANY ADDRESS: P.O. Box 624, Brenham, TX 77834 **COMPANY PHONE: 800-231-0454** EMERGENCY PHONE: 800-255-3924

SECTION II - HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable Aerosol: Category 2

Liquefied Gas

Eye Irritant: Category 2A

HAZARD STATEMENT(S): WARNING: Flammable Aerosol. Contains gas under pressure; May explode if heated. Causes serious eye irritation.

This product contains the following percentage of chemicals of unknown toxicity: 0%

PRECAUTIONARY STATEMENTS: Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. Store in a well-ventilated place. Wash hands thoroughly after handling. Wear eve/face protection. If in eves: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

SYMBOL:



HAZARDS NOT OTHERWISE CLASSIFIED: N/A

SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS				
HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT		
Butoxyethanol	111-76-2	1-10%		
n-Butane	106-97-8	1-5%		
Isopropanol	67-63-0	1-5%		
Propane	74-98-6	1-3%		
EDTA	60-00-4	0.5-1.5%		
Potassium Hydroxide	1310-58-3	0.5-1.5%		
4-Nonylphenol branched, ethoxylated	12087-87-0	0.1-1%		
SECTION IV - FIRST AID MEASURES				

EYES: Remove contact lenses. Flush with water for at least 15 minutes. See a physician if irritation persists.

- Rinse mouth with water. Do not induce vomiting unless directed by medical authority. Seek medical attention if irritation INGESTION: persists.
- INHALATION: Move to fresh air. If breathing is difficult, administer oxygen. If not breathing administer artificial respiration or at any sign of loss of consciousness seek immediate medical attention.
- SKIN: Immediately wash with soap and water for 15 minutes. Remove contaminated clothing and shoes immediately. Seek medical attention if irritation develops.

ACUTE HEALTH HAZARDS: Eyes: redness, tearing, blurred vision

CHRONIC HEALTH HAZARDS: None known

NOTE TO PHYSICIAN: There is no specific treatment regimen. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

Safety Data Sheet Sidewinder

SECTION V – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Use appropriate media for surrounding fire.

UNSUITABLE EXTINGUISHING MEDIA: N/A

SPECIAL FIRE FIGHTING PROCEDURES: Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Keep away from heat/sparks/open flames/hot surfaces. No smoking. **HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon

SECTION VI - ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

SPILL: Use non-combustible material like vermiculite, sand or earth on spill sweep to clean. Dispose in accordance with local, state and federal laws. Small releases may be wiped up with wiping material.

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Do not flame cut, braze, or weld. Empty container very hazardous!

RCRA STATUS: Waste likely considered non-hazardous under RCRA, however, product should be fully characterized prior to disposal (40 CFR 261).

SECTION VII – HANDLING AND STORAGE

HANDLING AND STORAGE: Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Pressurized container: Do not pierce or burn, even after use.

OTHER PRECAUTIONS: None Known

INCOMPATIBILITY: Strong acids

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Butoxyethanol	50 ppm	20 ppm
n-Butane	1000 ppm	1000 ppm
Isopropanol	500 ppm	400 ppm
Propane	1000 ppm	1000 ppm
EDTA	Not Established	Not Established
Potassium Hydroxide	2 mg/m3	2 mg/m3
4-Nonylphenol branched, ethoxylated	Not Established	Not Established

ENGINEERING CONTROLS / VENTILATION: General ventilation should be used. Provide sufficient mechanical ventilation (general and/or local exhaust) to maintain exposure below the recommended exposure limits.

RESPIRATORY PROTECTION: Not required with adequate ventilation

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses

ADDITIONAL MEASURES: Wash hands and clothing in contact with product after use.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear, Colorless Aerosol ODOR: Citrus scent, moderate ammonia odor ODOR THRESHOLD: N/D pH: 11.3-11.7 MELTING POINT/FREEZING POINT: < 32°F (0°C) INITIAL BOILING POINT AND BOILING RANGE: N/D FLASH POINT: N/D EVAPORATION RATE: < 0.8 (Slow) FLAMMABILITY (solid/gas): Flammable Aerosol UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: LOWER FLAMMABILITY LIMIT: N/A

Safety Data Sheet Sidewinder

UPPER FLAMMABILITY LIMIT: N/A EXPLOSIVE LIMIT LOWER (%): N/D EXPLOISVE LIMIT UPPER (%): N/D VAPOR PRESSURE (mm Hg): N/D VAPOR DENSITY (AIR=1): N/D RELATIVE DENSITY (H2O=1): 0.99 - 1.10 @ 77° F (25°C) SOLUBILITY(IES): 100% water PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow): N/D AUTOIGNITION TEMPERATURE: N/D DECOMPOSITION TEMPERATURE: N/D VISCOSITY: N/D

SECTION X – STABILITY AND REACTIVITY

REACTIVITY: Chemically active metals and acids CHEMICAL STABILITY: Stable POSSIBLE HAZARDOUS REACTIONS: None Known CONDITIONS TO AVOID: Temperatures greater than 122°F may cause bursting. INCOMPATIBLE MATERIALS: Strong acids HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon

SECTION XI – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Not Established

ROUTES OF ENTRY: Eyes, Ingestion, Inhalation, Skin

EYES: Causes irritation, may cause mild burns if left untreated.

INGESTION: Causes gastrointestinal irritation, headaches, nausea, diarrhea, vomitting, abdominal cramps.

INHALATION: Causes dizziness, headaches upon long term exposure.

SKIN: Causes irritation, dermatitis with prolonged exposure.

MEDICAL CONDITION AGGRAVATED: Asthma, bronchitis, emphysema and other lung diseases and chronic nose, sinus or throat conditions. Skin irritation may be aggravated in individuals with existing skin disorders.

ACUTE HEALTH HAZARDS: Eyes: redness, tearing, blurred vision

CHRONIC HEALTH HAZARDS: None known

CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: No

SECTION XII – ECOLOGICAL INFORMATION

ECOTOXICITY: Butoxyethanol (111-76-2) Toxic to aquatic life only in high concentrations, lethal concentrations not available.

PERSISTENCE AND DEGRADABILITY: This product is biodegradable.

BIOACCUMULATIVE POTENTIAL: This product is not expected to bioaccumulate.

MOBILITY IN SOIL: This product is mobile in soil.

OTHER ADVERSE EFFECTS: None Known

SECTION XIII – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Do not flame cut, braze, or weld. Empty container very hazardous!

RCRA STATUS: Waste likely considered non-hazardous under RCRA, however, product should be fully characterized prior to disposal (40 CFR 261).

SECTION XIV - TRANSPORT INFORMATION

PROPER SHIPPING NAME:Aerosols, Ltd. Qty.HAZARD CLASS/DIVISION:2.1UN/NA NUMBER:UN 1950PACKING GROUP:N/A

AIR SHIPMENT

PROPER SHIPPING NAME: Aerosols, flammable HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950 PACKING GROUP: N/A

SHIPPING BY WATER:VESSEL (IMO/IMDG)PROPER SHIPPING NAME: Aerosols, Ltd. Qty.HAZARD CLASS/DIVISION: 2.1UN/NA NUMBER: UN 1950PACKING GROUP: N/AENVIRONMENTAL HAZARDS WATER: N/A

SECTION XV - REGULATORY INFORMATION

TSCA STATUS: All Chemicals are listed or exempt. CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): None SARA 311/312 HAZARD CATEGORIES: None SARA 313 REPORTABLE INGREDIENTS: None **STATE REGULATIONS:** California Proposition 65: None **INTERNATIONAL REGULATIONS:** All components are listed or exempted. **VOLATILE ORGANIC COMPOUNDS (VOC):** <15% NFPA HEALTH: 1 **HMIS HEALTH:** 1 NFPA FLAMMABILITY: 2 HMIS FLAMMABILITY: 2 **NFPA REACTIVITY:** 1 **HMIS REACTIVITY:** 1 **NFPA OTHER:** None **HMIS PROTECTION:** Α

SECTION XVI - OTHER INFORMATION

PREPARATION BY: Andrew Bach **DATE PREPARED:** 09/12/2013 **REVISION DATE:** 4/08/2020

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.